

Anemiaceae



Anemia simii Tardieu
Buffer zone of Chimanimani reserve, in and around Mahate camp; E 33.19065242, -19.67441750, alt 500 m.

Anthericaceae



Chlorophytum galpinii (Baker) Kativu
Mt Tsetsera, grassland, E 32.84062505, S 19.39909362; UTM36-WGS84 483266.182,7855005.032; alt 1950 m.



Chlorophytum galpinii (Baker) Kativu
Chimanimani mountains, in grassland above Chikukwa camp, along path going to Pheza forest; E 32.97668372, S19.72020099, alt 1100 m.

Annonaceae



Friesodielsia obovata (Benth.) Verdc.
Sofala province, Cherigoma plateau, along marked trail in Catapú; S 18°01', E 35°18'; alt 90 m



Friesodielsia obovata (Benth.) Verdc.
Sofala province, Cherigoma plateau, along marked trail in Catapú; S 18°01', E 35°18'; alt 90 m

Apiaceae



Heteromorpha arborescens (Spreng.) Cham. & Schildl.
Mt Tsetsera in first small patch of mountain rainforest going up; E 32.84539515, S 19.37974687; UTM36-WGS84 483765.109,7857146.261; 1500 m



Heteromorpha arborescens (Spreng.) Cham. & Schildl.
Mt Tsetsera in first small patch of mountain rainforest going up; E 32.84539515, S 19.37974687; UTM36-WGS84 483765.109,7857146.261; 1500 m



Diplophium buchananii (Benth. ex Oliv.) C. Norman
Chimanimani mountains, in grassland (on schist) along Zomba trail between "Bakaromambo and middle reach of Muvumodzi", E 33.10854450, S 19.82197274; UTM36-WGS84 511367.037,7808215.342; alt 1400 m



Diplophium buchananii (Benth. ex Oliv.) C. Norman
Chimanimani mountains, in grassland (on schist) along Zomba trail between "Bakaromambo and middle reach of Muvumodzi", E 33.10854450, S 19.82197274; UTM36-WGS84 511367.037,7808215.342; alt 1400 m



Diplophium buchananii (Benth. ex Oliv.) C. Norman
Chimanimani mountains, in grassland (on schist) along Zomba trail between "Bakaromambo and middle reach of Muvumodzi", E 33.10854450, S 19.82197274; UTM36-WGS84 511367.037,7808215.342; alt 1400 m



Diplophium buchananii (Benth. ex Oliv.) C. Norman
Chimanimani mountains, in grassland (on schist) along Zomba trail between "Bakaromambo and middle reach of Muvumodzi", E 33.10854450, S 19.82197274; UTM36-WGS84 511367.037,7808215.342; alt 1400 m

Apocynaceae



Ancylobotrys petersiana (Klotzsch) Pierre
on gneiss inselberg in Zembe, 11 km from Chimoio to Sussundenga, E 33.39, S 19.22, alt 750 m



Ancylobotrys petersiana (Klotzsch) Pierre
on gneiss inselberg in Zembe, 11 km from Chimoio to Sussundenga, E 33.39, S 19.22, alt 750 m



Asclepias cucullata (Schltr.) Schltr. subsp. *scabrifolia* (S. Moore) Goyder
Mt Shanganhi, grassland on mountain crest, along Zomba trail; E 33.19256433, S 19.82596122; UTM36-WGS84 520165.311,7807766.143; alt 1350 m



Asclepias cucullata (Schltr.) Schltr. subsp. *scabrifolia* (S. Moore) Goyder
Chimanimani mountains, along path going up Mt Binga; E 33.08, S 19.77, alt 1900 m



Brachystelma sp.
Mt Tsetsera; rock places in grassland; E 32.84478451, S 19.39740637; UTM36-WGS84 483702.744,7855192.130; alt 2000 m.



Brachystelma sp.
Mt Tsetsera; rock places in grassland; E 32.84478451, S 19.39740637; UTM36-WGS84 483702.744,7855192.130; alt 2000 m.

Apocynaceae



Carissa bispinosa (L.) Desf. ex Brenan
Mt Tsetsera, undergrowth of mountain rainforest, E 32.83547724, S19.39908904;
UTM36-WGS84 482725.678,7855005.032; alt 1900 m.



Carissa bispinosa (L.) Desf. ex Brenan
Mt Tsetsera, undergrowth of mountain rainforest, E 32.83547724, S19.39908904;
UTM36-WGS84 482725.678,7855005.032; alt 1900 m.



Ceropegia nilotica Kotschy
Moribane forest, margin of Tava swamp; E 33.31817904, S 19.74685683;
UTM36-WGS84 533336.205,7816499.845; 500 m



Ceropegia nilotica Kotschy
Moribane forest, margin of Tava swamp; E 33.31817904, S 19.74685683;
UTM36-WGS84 533336.205,7816499.845; 500 m



Ceropegia nilotica Kotschy
Moribane forest, margin of Tava swamp; E 33.31817904, S 19.74685683;
UTM36-WGS84 533336.205,7816499.845; 500 m



Cryptolepis sp.
Chimanimani conservation area, miombo woodland vegetation in woodland close to
the Mussapa pequeno river at the "portão"; E 33.08467816, S 19.58420245;
UTM36-WGS84 508880.806,7834527.580; alt 600 m.

Apocynaceae



Diplorhynchus condylocarpon (Müll. Arg.) Pichon
Chimanimani conservation area, miombo woodland vegetation in woodland close to the Mussapa pequeno river at the "portão"; E 33.08467816, S 19.58420245; UTM36-WGS84 508880.806,7834527.580; alt 600 m.

Diplorhynchus condylocarpon (Müll. Arg.) Pichon
Chimanimani conservation area, miombo woodland vegetation in woodland close to the Mussapa pequeno river at the "portão"; E 33.08467816, S 19.58420245; UTM36-WGS84 508880.806,7834527.580; alt 600 m.



Diplorhynchus condylocarpon (Müll. Arg.) Pichon
at the Bela Horizonte camp; 34 12 34 E, 18 41 42 S, alt 300 m

Diplorhynchus condylocarpon (Müll. Arg.) Pichon
at the Bela Horizonte camp; 34 12 34 E, 18 41 42 S, alt 300 m



Holarrhena pubescens (Buch. - Ham.) Wall. ex G. Don
Sofala province, Cherigoma plateau, along marked trail in Catapú; S 18°01', E 35°18'; alt 90 m

Holarrhena pubescens (Buch. - Ham.) Wall. ex G. Don
Sofala province, Cherigoma plateau, along marked trail in Catapú; S 18°01', E 35°18'; alt 90 m

Apocynaceae



Landolphia kirkii Dyer ex Hook. f.
Moribane forest, Mpunga camp, E 33.35557254, S 19.74402434; UTM36-WGS84
537254.686,7816805.502; alt 500 m



Landolphia kirkii Dyer ex Hook. f.
Moribane forest, Mpunga camp, E 33.35557254, S 19.74402434; UTM36-WGS84
537254.686,7816805.502; alt 500 m



Landolphia kirkii Dyer ex Hook. f.
Moribane forest, Mpunga camp, E 33.35557254, S 19.74402434; UTM36-WGS84
537254.686,7816805.502; alt 500 m



Landolphia kirkii Dyer ex Hook. f.
Moribane forest, Mpunga camp; E 33.35608683, S 19.74357478; UTM36-WGS84
537308.675,7816855.135; alt 500 m



Landolphia kirkii Dyer ex Hook. f. (?)
Moribane forest, along various of Monteiros plot, ; E 33.32381850, S 19.72920297
(proxi); UTM36-WGS84, 533930.796,7818452.270 alt 550 m



Margaretta rosea Oliv. subsp. *whytei* (K. Schum.) M.
Chimanimani mountains, in Chikukwa camp; E 32.97049649, S 19.71545629, alt
1000 m.

Apocynaceae



Margareta rosea Oliv. subsp. *whytei* (K. Schum.) M.
Chimanimani mountains, in Chikukwa camp; E 32.97049649, S 19.71545629, alt 1000 m.



Mascarenhasia arborescens A. DC.
Chimanimani mountains, in grassland above Chikukwa camp, along road close to Mussapa canyon; E 32.98493502, S 19.71489999, alt 1000 m.




Mascarenhasia arborescens A. DC.
Chimanimani mountains, in grassland above Chikukwa camp, along road close to Mussapa canyon; E 32.98493502, S 19.71489999, alt 1000 m.



Pergularia daemia (Forssk.) Chiov. var. *daemia*
Moribane forest, Mpunga camp, along path going to the river; E 33.35608683, S 19.74357478; UTM36-WGS84 537308.675,7816855.135; alt 500 m



Pergularia daemia (Forssk.) Chiov. var. *daemia*
Moribane forest, Mpunga camp, along path going to the river; E 33.35608683, S 19.74357478; UTM36-WGS84 537308.675,7816855.135; alt 500 m



Rauvolfia caffra Sond.
Moribane forest, toward end of "Picada da dona Candida"; E 33.31428353, S 19.76096353; UTM36-WGS84 532925.169,7814939.584; alt 550 m

Apocynaceae



Rauvolfia caffra Sond.
Moribane forest, toward end of "Picada da dona Candida"; E 33.31428353, S19.76096353; UTM36-WGS84 532925.169,7814939.584; alt 550 m



Rauvolfia caffra Sond.
on track going up Mt Garuso, fallow fields/deforested area; E 33.16, S 18.97, alt 900 m



Rauvolfia caffra Sond.
Moribane forest



Saba comorensis (Bojer) Pichon
Moribane forest, Mpunga camp, E 33.35550533, S 19.74400327; UTM36-WGS84 537247.649,7816807.847; alt 500 m



Saba comorensis (Bojer) Pichon var. *comorensis*
Moribane forest along main road from Mpunga camp before Ponte de Deus; E 33.33463410, S 19.72958806; UTM36-WGS84 535064.017,7818407.458; alt 500 m



Saba comorensis (Bojer) Pichon var. *comorensis*
Moribane forest along main road from Mpunga camp before Ponte de Deus; E 33.33463410, S 19.72958806; UTM36-WGS84 535064.017,7818407.458; alt 500 m

Apocynaceae



Tabernaemontana elegans Stapf
Moribane forest, along various of Monteiros plot, ; E 33.34614463, S 19.70584403, UTM36-WGS84, 536275.493,7821032.508, alt 600 m



Tabernaemontana elegans Stapf
Moribane forest, at the last of Monteiros plot, ; E 33.34614463, S 19.70584403, UTM36-WGS84, 536275.493,7821032.508, alt 600 m



Tabernaemontana elegans Stapf
Moribane forest, along "Picada da dona Candida"; E 33.33124050, S 19.73383349; UTM36-WGS84 534707.505,7817938.364; alt 600 m



Tabernaemontana stapfiana Britten
Chimanimani mountain range, in Gashwa mountain rainforest and canyon; E 33.08707851, S 19.83755290, alt 1450 m



Tabernaemontana ventricosa Hochst. ex A. DC
Moribane forest, Mpunga camp, E 33.35557254, S 19.74402434; UTM36-WGS84 537254.686,7816805.502; alt 500 m



Tabernaemontana ventricosa Hochst. ex A. DC
Moribane forest, towards end of Picada da dona Candida; E 33.30820952, S 19.76688692; UTM36-WGS84 532287.642,7814285.280; alt 550 m

Apocynaceae



Trachycalymma fimbriatum (Weim.) Bullock
Mt Tsetsera, grasslands towards the top of the plateau, E 32.79926601, S 19.38158055; UTM36-WGS84 478921.359,7856938.374; alt 2200 m



Trachycalymma fimbriatum (Weim.) Bullock
Mt Tsetsera, grasslands towards the top of the plateau, E 32.79926601, S 19.38158055; UTM36-WGS84 478921.359,7856938.374; alt 2200 m



Trachycalymma fimbriatum (Weim.) Bullock
Mt Tsetsera, grasslands towards the top of the plateau, E 32.79926601, S 19.38158055; UTM36-WGS84 478921.359,7856938.374; alt 2200 m



Tylophora sp. No. 2. (Müller 2841)
Mt Tsetsera, undergrowth under in Podocarpus forest around de Carvalho's mansion, E 32.81389603, S 19.39906822; UTM36-WGS-84 480459.718,7855005.032; alt 2000 m.



Tylophora sp. No. 2. (Müller 2841)
Mt Tsetsera, undergrowth under in Podocarpus forest around de Carvalho's mansion, E 32.81389603, S 19.39906822; UTM36-WGS-84 480459.718,7855005.032; alt 2000 m.



Voacanga thouarsii Roem. & Schult.
Moribane forest, margin of Tava swamp, E 33.31593919, S 19.74784626; UTM36-WGS84 533101.327,7816390.795; 500 m